




# Safety Barrier - DELTA

DFFS-M-E



DFFS-M-M



DFFS-H1  
DFFS-HI

# Table of contents

Art. No.	Description	Weight	Page
DFFS-M-E	Delta 3 End post	8,0 kg	3
DFFS-M-M	Delta 3 Middle post	8,0 kg	3
DFFS-M-W90	Delta 3 Corner post 90°	8,0 kg	4
DFFS-M-T	Delta 3 T-post	8,0 kg	4
DFFS-M-K	Delta 3 Cross post	8,0 kg	5
DFFS-H1	Delta 3 Beam set: 3 beams, length 1510 mm	4,5 kg	5
DFFS-HI	Delta 3 Beam set: 3 beams, individual length 350 mm up to 1510 mm	3,0 kg	6
DFFS-M-W22.5	Delta 3 Corner post 22,5°	8,7 kg	6
DFFS-M-W45	Delta 3 Corner post 45°	8,7 kg	7
DFFS-M-W67.5	Delta 3 Corner post 67,5°	8,7 kg	7
DFFS-M-W292.5	Delta 3 Corner post 292,5°	8,7 kg	8
DFFS-M-W315	Delta 3 Corner post 315°	8,7 kg	8
DFFS-M-W337.5	Delta 3 Corner post 337,5°	8,7 kg	9
DFJU-TM	Delta 3 Middle post Juliet Swingdoor	9,0 kg	9
DFJU-TT	Delta 3 T-Pfosten 90° Juliet Swingdoor	8,9 kg	10
DFJU-TW90L	Delta 3 Corner post 90° left Juliet Swingdoor	8,9 kg	10
DFJU-TW90R	Delta 3 Corner post 90° right Juliet Swingdoor	8,9 kg	11
DFJU-TE	Delta 3 End post Juliet Swingdoor	8,7 kg	11
DFJU-TW337.5	Delta 3 Middle post Juliet 337,5°	8,7 kg	12
DFJU-TW315	Delta 3 Middle post Juliet 315°	8,7 kg	12
DFJU-TW45	Delta 3 Middle post Juliet 45°	8,7 kg	13
DFJU-TW67.5	Delta 3 Middle post Juliet 67,5°	8,7 kg	13
DFJU-TW22.5	Delta 3 Middle post Juliet 22,5°	8,7 kg	14
DFJU-TW292.5	Delta 3 Middle post Juliet 292,5°	8,7 kg	14


## Technical Information

### Material properties

Operational temperature range	-40° up to + 50°
Ignition Temperature	350 - 360°C
Flash Point	350 - 360°C
Toxicity	Nontoxic
Chemical Resistance	high - ISO/TR 10358
Hygiene Seals	Non
Standard Warranty	5 years


Deflection Zone:

**I** 250 mm




# DFFS-M-E

Article description	End post
Item number	DFFS-M-E
EAN	4250912311138
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,564 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFFS-M-M

Article description	Middle post
Item number	DFFS-M-M
EAN	4250912311145
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,264 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFFS-M-W90

Article description	Corner post 90°
Item number	DFFS-M-W90
EAN	4250912311152
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,264 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFFS-M-T

Article description	T-Post
Item number	DFFS-M-T
EAN	4250912311169
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	6,961 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70



# DFFS-M-K

Article description	Cross post
Item number	DFFS-M-K
EAN	4250912311176
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,879 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFFS-H1

Article description	Beam set
Item number	DFFS-H1
EAN	4250912311183
Customs tariff number	39269097
Width (mm)	1510
Height (mm)	N/A
Depth/Length (mm)	N/A
Installation width (mm)	1420
Width without foot plate (mm):	N/A
Depth without foot plate (mm):	N/A
Deflection zone (mm)	see post
Tested to withstand force (Joule):	N/A
Net weight	1,548 kg
Material	Polyethylene
Color	Yellow RAL 1018
Area of application	Indoor and outdoor use
Fixing	Screw together




# DFFS-HI

Article description	Beam set with individual length
Item number	DFFS-HI
EAN	4250912311190
Customs tariff number	39269097
Width (mm)	350-1509
Height (mm)	N/A
Depth/Length (mm)	N/A
Installation width (mm)	260-1419
Width without foot plate (mm):	N/A
Depth without foot plate (mm):	N/A
Deflection zone (mm)	see post
Tested to withstand force (Joule):	N/A
Net weight	3 kg / m
Material	Polyethylene
Color	Yellow RAL 1018
Area of application	Indoor and outdoor use
Fixing	Screw together




# DFFS-M-W22.5

Article description	T-Delta Corner post 22,5°
Item number	DFFS-M-W22.5
EAN	4250912397385
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,264 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFFS-M-W45

Article description	Delta Corner post 45°
Item number	DFFS-M-W45
EAN	4250912397378
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,264 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFFS-M-W67.5

Article description	Delta Corner post 67,5°
Item number	DFFS-M-W67.5
EAN	4250912397385
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,264 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFFS-M-W292.5

Article description	Delta Corner post 292,5°
Item number	DFFS-M-W292.5
EAN	4250912397392
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,264 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70



# DFFS-M-W315


Article description	Delta Corner post 315°
Item number	DFFS-M-W315
EAN	4250912397408
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,264 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70






# DFFS-M-W337.5

Article description	Delta Corner post 337,5°
Item number	DFFS-M-W337.5
EAN	4250912397415
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,264 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFJU-TM

Article description	Delta Middle post Juliet
Item number	DFJU-TM
EAN	4250912395282
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFJU-TT

Article description	Delta T-post 90° Juliet
Item number	DFJU-TT
EAN	4250912395299
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFJU-TW90L

Article description	Delta Corner post 90° left Juliet
Item number	DFJU-TW90L
EAN	4250912395305
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFJU-TW90R

Article description	Delta Corner post 90° right Juliet
Item number	DFJU-TW90R
EAN	4250912395312
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFJU-TE

Article description	Delta End post Juliet
Item number	DFJU-TE
EAN	4250912395077
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	7,223 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFJU-TW337.5

Article description	Delta Middle post Juliet 337,5°
Item number	DFJU-TW337.5
EAN	4250912396982
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFJU-TW315

Article description	Delta Middle post Juliet 315°
Item number	DFJU-TW315
EAN	4250912397002
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFJU-TW45

Article description	Delta Middle post Juliet 45°
Item number	DFJU-TW45
EAN	4250912397026
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70




# DFJU-TW67.5

Article description	Delta Middle post Juliet 67.5°
Item number	DFJU-TW67.5
EAN	4250912397033
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70



# DFJU-TW22.5

Article description	Delta Middle post Juliet 22.5°
Item number	DFJU-TW22.5
EAN	4250912397019
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70



# DFJU-TW292.5

Article description	Delta Middle post Juliet 292.5°
Item number	DFJU-TW292.5
EAN	4250912397040
Customs tariff number	39269097
Width (mm)	150
Height (mm)	1200
Depth/Length (mm)	150
Installation width (mm)	130
Width without foot plate (mm):	110
Depth without foot plate (mm):	110
Deflection zone (mm)	250
Tested to withstand force (Joule):	N/A
Net weight	8,7 kg
Material	Polyethylene
Color	Black
Area of application	Indoor and outdoor use
Fixing	Fixing Material included. 4 x concrete screw M10x70

