

## Technical Information

Tested to withstand force (Joule)	400 J
Equivalent angle of impact	90°
Approved according to	DIN EN 15512:2010-09, Kapitel 6.4.1 DIN EN 15635:2009-08 Kapitel 9.5.1

## Material Properties


Temperature Range	-10° up to + 50°
-------------------	------------------

## Environment



CO <sub>2</sub> / m <sup>3</sup>	4 kg
Recyclability	100%

## Other

Standard Warranty	1 year
-------------------	--------



**TÜV Approved**



**Testcenter Video**

Art. No.	Height	For rack legs	Weight
DF-RG-1	600 mm	75 - 100 mm	1,4 kg
DF-RG-2	600 mm	100 - 125 mm	1,8 kg
DF-RG-3	400 mm	75 - 100 mm	0,7 kg
DF-RG-4	400 mm	100 - 125 mm	0,9 kg
DF-RG-5	1000 mm	75 - 100 mm	1,8 kg
DF-RG-6	1000 mm	100 - 125 mm	2,1 kg

**Article description** Rack Guard 600 mm  
**Item number** DF-RG-1  
**EAN** 4250912311398  
**Customs tariff number** 39269097

**Height** 99 mm  
**Width** 118 mm  
**Length** 600 mm

**Net weight** 1,05 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow)  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes**  
**Fixing** Clip to shelve

**d-flexx**



**Environment**

CO<sub>2</sub> / m<sup>3</sup> 4 kg  
Recyclability 100%

**Other**

Standard Warranty 1 year

**Material Properties**

Temperature Range -10° up to + 50°



**Article description** Rack Guard 600 mm  
**Item number** DF-RG-2  
**EAN** 4250912311404  
**Customs tariff number** 39269097

**Height** 113 mm  
**Width** 132 mm  
**Length** 600 mm

**Net weight** 1,2 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow)  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes**  
**Fixing** Clip to shelve

**d-flexx**



**Environment**

CO<sub>2</sub> / m<sup>3</sup> 4 kg  
Recyclability 100%

**Other**

Standard Warranty 1 year

**Material Properties**

Temperature Range -10° up to + 50°



**Article description** Rack Guard 400 mm  
**Item number** DF-RG-3  
**EAN** 4250912311411  
**Customs tariff number** 39269097

**Height** 99 mm  
**Width** 118 mm  
**Length** 400 mm

**Net weight** 0,7 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow)  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes**  
**Fixing** Clip to shelve

**d-flexx**



#### Environment

CO<sub>2</sub> / m<sup>3</sup> 4 kg  
Recyclability 100%

#### Other

Standard Warranty 1 year

#### Material Properties

Temperature Range -10° up to + 50°



**Article description** Rack Guard 400 mm  
**Item number** DF-RG-4  
**EAN** 4250912311428  
**Customs tariff number** 39269097

**Height** 113 mm  
**Width** 132 mm  
**Length** 400 mm

**Net weight** 0,9 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow)  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes**  
**Fixing** Clip to shelf

**d-flexx**



### Environment

CO<sub>2</sub> / m<sup>3</sup> 4 kg  
Recyclability 100%

### Other

Standard Warranty 1 year

### Material Properties

Temperature Range -10° up to + 50°



**Article description** Rack Guard 1000 mm  
**Item number** DF-RG-5  
**EAN** 4250912311435  
**Customs tariff number** 39269097

**Height** 99 mm  
**Width** 118 mm  
**Length** 1000 mm

**Net weight** 1,5 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow)  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes**  
**Fixing** Clip to shelve

**d-flexx**



### Environment

CO<sub>2</sub> / m<sup>3</sup> 4 kg  
Recyclability 100%

### Other

Standard Warranty 1 year

### Material Properties

Temperature Range -10° up to + 50°



**Article description** Rack Guard 1000 mm  
**Item number** DF-RG-6  
**EAN** 4250912311442  
**Customs tariff number** 39269097

**Height** 113 mm  
**Width** 132 mm  
**Length** 1000 mm

**Net weight** 2,1 kg  
**Material** Polyethylene  
**Color** Yellow (like RAL 1023 traffic yellow)  
**Indoor use** Yes  
**Outdoor use** Yes  
**Boreholes**  
**Fixing** Clip to shelve

**d-flexx**



### Environment

CO<sub>2</sub> / m<sup>3</sup> 4 kg  
Recyclability 100%

### Other

Standard Warranty 1 year

### Material Properties

Temperature Range -10° up to + 50°

