

Technical Information

Tested to withstand force of (Joule)	2.500 J
Vehicle weight equivalent (kg)	2.000 kg
Vehicle equivalent speed (km/h)	5,7 km/h
Equivalent angle of impact	90°
Deflection zone	250 mm

Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO2 / m³	18,5 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Art. No.	Description	Weight
DFFS-C2-600	For columns maximum 100 x 100 mm	41,4 kg
DFFS-C4-1305	For columns maximum 805 x 805 mm	50,4 kg
DFFS-CI	Individual: For columns 100 x 100 mm up to 805 x 805 mm	50,4 kg

Article description	Column protector
Item number	DFFS-C2-600
EAN	4250912395404
Customs tariff number	39269097
Height	1200 mm
Width	1050 mm
Length	1050 mm
Deflection zone	250 mm
Net weight	41,4 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	16
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M10X70



Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO ₂ / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Article description	Column protector
Item number	DFFS-C4-1305
EAN	4250912395411
Customs tariff number	39269097
Height	1200 mm
Width	1755 mm
Length	1755 mm
Deflection zone	250 mm
Net weight	50,4 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	16
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete crew for top installation comfort.
Fixing dimensions	M10X70



Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO ₂ / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Article description	Column protector individual
Item number	DFFS-CI
EAN	4250912395428
Customs tariff number	39269097
Height	1200 mm
Width	Individual width 455- 1510 mm
Length	Individual lenght 455- 1510 mm
Deflection zone	250 mm
Net weight	50,4 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	16
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M10X70



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO2 / m³	18,5 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------

