

Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°
Deflection zone	250 mm

Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Art. No.	Description	Weight
DFJU-DA800	Width 800 mm	11,6 kg
DFJU-DA1000	Width 1000 mm	12,3 kg
DFJU-DA1200	Width 1200 mm	13,0 kg
DFJU-DA1500	Width 1500 mm with wheel	15,3 kg
DFJU-DA1750	Width 1750 mm with wheel	15,9 kg
DFJU-DA2000	Width 2000 mm with wheel	16,8 kg
DFJU-DATK1	Individual width 800 - 1200 mm	13,0 kg
DFJU-DATK2	Individual width 1500 - 2000 mm	16,8 kg
72118	Stopper, black	0,7 kg

Article description	Juliet door hinge set
Item number	DFJU-HI
EAN	4250912312838
Customs tariff number	39269097



Height	200 mm
Width	225 mm
Length	300 mm
Diameter	
Deflection zone	See post

Net weight	2,1 kg
Material	Steel
Color	Black
Indoor use	Yes
Outdoor use	Yes
Boreholes	
Fixing	



Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Article description	Door 800 mm
Item number	DFJU-DA800
EAN	4250912395091
Customs tariff number	39269097



Height	662 mm
Width	225 mm
Length	800 mm
Diameter	
Deflection zone	See post

Net weight	11,6 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4

Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
---------------	---

Fixing dimensions	M10X70
--------------------------	--------

Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Article description Door 1000 mm
Item number DFJU-DA1000
EAN 4250912395107
Customs tariff number 39269097



Height 662 mm
Width 225 mm
Length 1000 mm
Diameter
Deflection zone See post

Net weight 10,2 kg
Material Polyethylene
Color Yellow (like RAL 1023 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4

Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M10X70

Material Properties



Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°

Environment

CO₂ / m³ 20 kg
 Recyclability 100%

Other

Standard Warranty 5 years



Article description Door 1200 mm
Item number DFJU-DA1200
EAN 4250912395114
Customs tariff number 39269097



Height 662 mm
Width 225 mm
Length 1200 mm
Diameter
Deflection zone See post

Net weight 10,9 kg
Material Polyethylene
Color Yellow (like RAL 1023 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4

Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M10X70

Material Properties



Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°

Environment

CO₂ / m³ 20 kg
 Recyclability 100%

Other

Standard Warranty 5 years



Article description	Door with wheel 1500 mm
Item number	DFJU-DA1500
EAN	4250912395121
Customs tariff number	39269097



Height	662 mm
Width	225 mm
Length	1500 mm
Diameter	
Deflection zone	See post

Net weight	13,2 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M10X70



Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Article description	Door with wheel 1750 mm
Item number	DFJU-DA1750
EAN	4250912395138
Customs tariff number	39269097



Height	662 mm
Width	225 mm
Length	1750 mm
Diameter	
Deflection zone	See post

Net weight	13,8 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M10X70



Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Article description Door with wheel 2000 mm

Item number DFJU-DA2000

EAN 4250912395145

Customs tariff number 39269097



Height 662 mm

Width 225 mm

Length 2000 mm

Diameter

Deflection zone See post

Net weight 14,7 kg

Material Polyethylene

Color Yellow (like RAL 1023 traffic yellow) / black

Indoor use Yes

Outdoor use Yes

Boreholes 4

Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

Fixing dimensions M10X70



Material Properties

Chemical Resistance high- ISO/TR 10358

Temperature Range -10° up to + 50°

Environment

CO₂ / m³ 20 kg

Recyclability 100%

Other

Standard Warranty 5 years

