

Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°
Deflection zone	250 mm

Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Art. No.	Description	Weight
DFJU+TM	Middle post for Juliet swing door in the „Echo“ system	12,8 kg
DFJU+TT	T-post 90° for Juliet swing door in the „Echo“ system	16,7 kg
DFJU+TW90L	Corner post 90° left for Juliet swing door in the „Echo“ system	15,7 kg
DFJU+TW90R	Corner post 90° right for Juliet swing door in the „Echo“ system	15,7 kg
DFJU+TE	End post „Echo“ for Juliet swing door	12,8 kg

Article description	Middle post for Juliet swing door in the „Echo“ System
Item number	DFJU+TM
EAN	4250912312821
Customs tariff number	39269097



Height	1200 mm
Width	225 mm
Length	619 mm
Diameter	
Deflection zone	250 mm

Net weight	12,8 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4

Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M12X85

Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Article description	T-post for Juliet swing door in the „Echo“ System
Item number	DFJU+TT
EAN	4250912395053
Customs tariff number	39269097



Height	1200 mm
Width	225 mm
Length	1000 mm
Diameter	
Deflection zone	250 mm

Net weight	16,7 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4

Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M12X85

Material Properties



Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Article description Corner post left for Juliet swing door in the „Echo“ System

Item number DFJU+TW90L

EAN 4250912395268

Customs tariff number 39269097



Height 1200 mm

Width 225 mm

Length 220 mm

Diameter

Deflection zone 250 mm

Net weight 15,7 kg

Material Polyethylene

Color Yellow (like RAL 1023 traffic yellow) / black

Indoor use Yes

Outdoor use Yes

Boreholes 4

Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

Fixing dimensions M12X85

Material Properties

Chemical Resistance high- ISO/TR 10358

Temperature Range -10° up to + 50°



Environment

CO₂ / m³ 20 kg

Recyclability 100%

Other

Standard Warranty 5 years



Article description

Corner post right for Juliet swing door in the „Echo“ System

Item number

DFJU+TW90R

EAN

4250912395275

Customs tariff number

39269097

**Height**

1200 mm

Width

225 mm

Length

220 mm

Diameter**Deflection zone**

250 mm

Net weight

15,7 kg

Material

Polyethylene

Color

Yellow (like RAL 1023 traffic yellow) / black

Indoor use

Yes

Outdoor use

Yes

Boreholes

4

Fixing

The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.

Fixing dimensions

M12X85

Material Properties

Chemical Resistance

high- ISO/TR 10358

Temperature Range



-10° up to + 50°

EnvironmentCO₂ / m³ 20 kg

Recyclability 100%

Other

Standard Warranty 5 years



Article description	Endpost for swing door Juliet in „Echo“ System
Item number	DFJU+TE
EAN	4250912395046
Customs tariff number	39269097



Height	1200 mm
Width	225 mm
Length	220 mm
Diameter	
Deflection zone	250 mm

Net weight	12,8 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M12X85

Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO ₂ / m ³	20 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------

