

Technical Information

Tested to withstand force of (Joule)	Top 2.500 J Bottom 10.000 J
Vehicle weight equivalent (kg)	5.000 kg
Vehicle equivalent speed (km/h)	7,2 km/h
Equivalent angle of impact	90°
Deflection zone	250 mm

Material Properties




Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO2 / m³	18,5 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------



Art. No.	Description	Width	Weight
DFKI+FU1	Machine protection	1000 mm	41,1 kg
DFKI+FU2	Machine protection	1500 mm	44,5 kg
DFKI+FU3	Machine protection	2000 mm	47,4 kg

Article description Barrier 1200 x 1000 mm

Item number DFKI+FU1

EAN 4250912395190

Customs tariff number 39269097



Height 1200 mm

Width 225 mm

Length 1000 mm

Diameter

Deflection zone 250 mm

Net weight 40,06 kg

Material Polyethylene

Color Yellow (like RAL 1023 traffic yellow) / black

Indoor use Yes

Outdoor use Yes

Boreholes 8

Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.


Fixing dimensions M12X85



Material Properties

Chemical Resistance high- ISO/TR 10358

Temperature Range -10° up to + 50°





Environment

CO₂ / m³ 18,5 kg

Recyclability 100%

Other

Standard Warranty 5 years




Article description	Barrier 1200 x 1500 mm
Item number	DFKI+FU2
EAN	4250912395206
Customs tariff number	39269097
Height	1200 mm
Width	225 mm
Length	1500 mm
Diameter	
Deflection zone	250 mm
Net weight	44,5 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	8
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M12X85



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°




Environment

CO ₂ / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------




Article description	Barrier 1200 x 2000 mm
Item number	DFKI+FU3
EAN	4250912395213
Customs tariff number	39269097
Height	1200 mm
Width	225 mm
Length	2000 mm
Diameter	
Deflection zone	250 mm
Net weight	47,4 kg
Material	Polyethylene
Color	Yellow (like RAL 1023 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	8
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M12X85



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°



Environment

CO ₂ / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty	5 years
-------------------	---------

